



Compressor Spare Parts

Kompressor Ersatzteile

Compresseur Pièce

Piezas de repuesto del compresor

Compressore Ricambi

Części zamienne do sprężarek klimatyzacji

Edition 2021/2023



Pulleys



253595 Pulley with bearing

Servicing: 04677205L, 4677144, 4677144A, 4677144ABA, 4677144ABE, 4677144B, 4677144L, 4677151, 4677156ABE

Height 39.00 mm, **ID** 52.00 mm, **ID/bearing** 30.00 mm, **OD** 129.00 mm, **Grooves** 6, **Bearing** w/



253599 Pulley with bearing

Servicing: 05005421AB, 05005421AC, 05005421AD

Height 40.50 mm, **ID** 52.00 mm, **ID/bearing** 35.00 mm, **OD** 120.00 mm, **Grooves** 6, **Bearing** w/



253757# Pulley with bearing

Servicing: 4677156

Height 33.30 mm, **ID** 52.00 mm, **ID/bearing** 30.00 mm, **OD** 122.00 mm, **Grooves** 6, **Bearing** w/

Pulley Parts



253666 Clutch Hub

Servicing: 04677205L, 4677144A, 4677144ABA, 4677144ABE, 4677144B, 4677144L, 4677156ABE, 4677205, 4677205AB

Total length 38.00 mm, **Height** 26.00 mm, **ID** 12.50 mm, **OD** 105.00 mm, **Depth** 18.00 mm, **Key spline** w/o

Sundry Parts



250013# Needle Bearing

Replacing: 0384662

Height 22.00 mm, **ID** 16.00 mm, **OD** 23.00 mm

Middle Housing Part

NEW PRODUCT
www.hc-cargo.com

250734 Thrust Bearing

Replacing: 6555259

Height 2.00 mm, ID 19.20 mm,
OD 37.20 mm, Rolls 23, Bushing w/o,
Lock ring w/o, Teflon ring w/o



251492# Thrust Bearing/Race

Replacing: 6559642

Thickness 3.14 mm, ID 57.70 mm,
ID 2 55.75 mm, OD 74.85 mm,
OD 2 72.97 mm, OD 3 76.70 mm,
No./rollers 36




252041# Needle Bearing

Replacing: 6555253

Height 12.50 mm, ID 15.90 mm,
OD 20.60 mm

Pulley Parts



253543 Clutch Hub

Servicing: 7048, 9167048

Total length 26.50 mm,
Height 15.70 mm, ID 11.00 mm,
OD 105.00 mm, Depth 15.70 mm,
Splines 23, Key spline w/o

Coil



253532 Clutch Coil

Servicing: 9174396, 90559855, 90559856

12 V, Height 26.50 mm, ID 60.00 mm,
OD 92.00 mm, Capacitor w/o



253536 Clutch Coil

12 V, Height 36.00 mm, ID 72.00 mm,
OD 103.00 mm, Capacitor w/o

Control Valves



253571# Control Valve

12 V, Length 81.50 mm, OD 27.80 mm,
OD 2 16.80 mm, OD 3 18.20 mm,
OD 4 18.80 mm, OD 5 25.00 mm,
OD 6 27.00 mm, O-ring w/, Plug w/



253572# Control Valve

Servicing: 447260-0569

12 V, Length 82.50 mm, OD 26.90 mm,
OD 2 25.10 mm, OD 3 18.80 mm,
OD 4 17.80 mm, OD 5 16.80 mm,
O-ring w/, Plug w/



253575# Control Valve

12 V, Length 83.00 mm, OD 27.80 mm,
OD 2 17.00 mm, OD 3 18.80 mm,
OD 4 25.20 mm, OD 5 27.00 mm,
O-ring w/, Plug w/



253576# Control Valve

Servicing: 447150-2760, 447150-2761,
447150-2762, 447180-4150, 447180-4151,
447180-4152, 447180-4153

12 V, Length 83.00 mm, OD 26.80 mm,
OD 2 25.10 mm, OD 3 18.80 mm,
OD 4 16.80 mm, O-ring w/, Plug w/

Sundry Parts



253570# Control Valve

Servicing: 447180-7280, 447180-7282,
447180-7283, 447180-7284, 447180-7285,
447180-7290, 447180-7291

12 V, Length 83.00 mm, OD 27.80 mm,
OD 2 17.00 mm, OD 3 19.00 mm,
OD 4 25.20 mm, OD 5 27.00 mm,
O-ring w/, Plug w/

Front housing Part



250071# Needle Bearing

Servicing: 047200-3523, 047200-4033,
047200-7480, 047200-9432, 447200-4292,
447200-4294

Height 16.00 mm, ID 16.00 mm,
OD 23.00 mm



250325# Carbon Seal

Servicing: 047200-7503, 047200-9432,
447200-7011

Height 12.00 mm, ID 10.70 mm,
OD 30.00 mm, Material Metal/Rubber,
O-ring w/



250326# Carbon Seal

Height 10.60 mm, ID 12.00 mm,
OD 29.95 mm, Material Metal/Rubber,
O-ring w/

Middle Housing Part



250015# Thrust Bearing/Race

Replacing: 047045-0220, 047045-0310,
047045-0840, 250015

Servicing: 047010-0141, 047010-0141,
047010-0250, 047010-0250, 047138-2360,
047138-2360, 047138-2540

Thickness 2.50 mm, Thickness/set 6.90 mm,
ID 17.20 mm, ID 2 17.00 mm,
ID/set 17.20 mm, OD 34.10 mm,
OD 2 34.00 mm, OD 3 37.00 mm,
No./rollers 18



250055# Thrust Bearing/Race

Replacing: 047045-0830, 047045-0910,
250055

Servicing: 047010-0250, 047010-0250,
047200-2920, 047200-3792, 047200-6370,
047200-6480, 047200-7030

Thickness/set 6.95 mm, ID/set 17.00 mm



250144# Thrust Bearing

Servicing: 047200-3523, 047200-4033,
047200-7480, 047200-8545, 047200-8602,
447200-0100, 447200-0102

Height 2.50 mm, ID 17.20 mm,
OD 34.00 mm



250208# Needle Bearing

Height 19.00 mm, ID 17.00 mm,
OD 23.80 mm


251220# Thrust Bearing

Height 2.00 mm, ID 17.10 mm,
OD 29.80 mm


251826# Thrust Bearing/Race

Thickness/set 4.84 mm, ID/set 38.00 mm


251829# Thrust Bearing/Race

Thickness/set 5.90 mm, ID/set 10.00 mm


251910# Gasket

Thickness 0.40 mm, ID 27.00 mm,
ID/mount. hole 8.52 mm, OD 123.10 mm,
Material Metal, No./Mount. holes 5


252096# Gasket

Thickness 0.48 mm, OD 123.73 mm,
Material Metal


252097# Gasket

Thickness 0.47 mm, ID 27.74 mm,
ID/mount. hole 8.45 mm, OD 123.60 mm,
Material Metal, Type Cylinder,
No./Mount. holes 7


252098# Gasket

Thickness 0.45 mm, ID 116.20 mm,
ID/mount. hole 4.20 mm, OD 123.55 mm,
Material Metal, No./Mount. holes 2


252312# Thrust Bearing

Height 3.00 mm, ID 50.20 mm, OD 78.70 mm

Manifold

Seal


250002 Manifold Gasket

Servicing: 047200-8545, 047200-8602,
447200-0100, 447200-0101, 447200-0102,
447200-0103, 447200-0104

Thickness 3.30 mm, Width 63.00 mm,
Length 86.00 mm, Material HNBR,
Type AC


250191# Manifold Gasket

Thickness 3.32 mm, Width 44.29 mm,
Length 71.60 mm, Material Rubber


250514# Manifold Gasket

Thickness 3.17 mm, Width 63.00 mm,
Length 71.68 mm, Material Rubber


250542 Manifold Gasket

Thickness 2.41 mm, OD 25.05 mm,
Material Rubber

Pulleys


251076# Pulley with bearing

Height 33.90 mm, ID 47.85 mm,
ID/bearing 30.00 mm, OD 120.00 mm,
Grooves 8, Bearing w/


251317# Pulley with bearing

Servicing: 447100-6821, 447100-6822,
447100-6824, 447100-6825, 447100-6826,
447100-6827, 447100-6828

Height 40.00 mm, ID 52.00 mm,
ID/bearing 35.00 mm, OD 120.00 mm,
Grooves 6, Bearing w/


252111# Pulley without bearing

Servicing: 447100-7920, 447100-7922,
447100-7923, 447100-7924, 447100-7925,
447100-9110, 447100-9112

Height 40.60 mm, ID 51.25 mm,
OD 119.70 mm, Grooves 6, Bearing w/o


252294# Pulley without bearing

Servicing: 447100-9270, 447100-9271,
447100-9272, 447100-9273, 447100-9274,
447100-9275, 447100-9277

Height 41.10 mm, ID 51.20 mm,
OD 120.00 mm, Grooves 4, Bearing w/o



252306# Pulley without bearing

Servicing: 447170-6170, 447170-6172, 447170-6173, 447170-6174, 447170-6175, 447170-6176, 447170-6177

Height 28.75 mm, **ID** 48.90 mm, **OD** 110.00 mm, **Grooves** 6, **Bearing** w/o



252396# Pulley without bearing

Servicing: 447170-7940, 447170-7941, 447170-7942, 447170-7943, 447170-9380, 447170-9381, 447170-9382

Height 27.10 mm, **ID** 51.55 mm, **ID/bearing** 96.70 mm, **OD** 110.00 mm, **Grooves** 4, **Bearing** w/o



253559 Pulley with bearing

Servicing: 447190-6670, 447190-6680, 447190-6681, 447260-1310

Height 17.78 mm, **ID/bearing** 35.00 mm, **OD** 100.00 mm, **Grooves** 6, **Bearing** w/



253568# Pulley with bearing

Height 34.00 mm, **ID** 17.00 mm, **OD** 61.00 mm, **Bearing** w/



253759 Pulley with bearing

Servicing: 447190-3381

Height 30.40 mm, **ID** 52.00 mm, **ID/bearing** 35.00 mm, **OD** 120.00 mm, **Grooves** 7, **Bearing** w/



253760 Pulley with bearing

Height 43.50 mm, **ID** 52.00 mm, **ID/bearing** 35.00 mm, **OD** 103.00 mm, **Grooves** 6, **Bearing** w/



253765 Pulley with bearing

Height 35.00 mm, **ID** 52.00 mm, **ID/bearing** 35.00 mm, **OD** 110.00 mm, **Grooves** 6, **Bearing** w/

Pulley Parts



250315# Needle Bearing

Height 15.90 mm, **ID** 15.00 mm, **OD** 23.00 mm



253538 Rubber Kit for pulley

Width 13.00 mm, **Length** 34.00 mm, **Height** 14.00 mm



253539 Rubber Kit for pulley

Servicing: 447190-5242, 447190-7693, 447150-0382, 447180-6645, 447180-6650, 447190-5231, 447190-7690

Width 14.00 mm, **Length** 23.00 mm, **Height** 16.00 mm



253540 Safety Hub

Servicing: 447170-2320, 447170-2321, 447170-2323, 447170-2324, 447170-2325, 447170-6170, 447170-6172

Height 16.00 mm, **ID** 53.00 mm, **OD** 90.00 mm, **Key spline** w/o



253541 Safety Hub

Servicing: 447180-4150, 447180-4151, 447180-4152, 447180-4153, 447180-4154, 447180-4155, 447180-4751

Total length 18.00 mm, **Height** 18.00 mm, **ID** 53.00 mm, **OD** 84.00 mm, **Depth** 18.00 mm



253542 Clutch Hub

Servicing: 447200-3191, 447200-3400, 447200-3401, 447200-3404

Total length 40.00 mm, **Height** 26.50 mm, **ID** 13.00 mm, **OD** 105.00 mm, **Depth** 18.50 mm, **Thread** 8.00 mm, **Splines** 26, **Key spline** w/o



253547 Clutch Hub

Servicing: 447180-4150

Total length 20.00 mm, **Height** 6.50 mm, **ID** M10 mm, **OD** 83.00 mm, **Depth** 12.00 mm, **Key spline** w/o



253548 Clutch Hub

Servicing: 447180-5940, 447220-8465, 447220-8466, 447220-8992, 447220-8994, 447220-9461, 447220-9463

Total length 22.00 mm, **OD** 83.00 mm, **Thread** M10 mm



253549 Clutch Hub

Servicing: 447190-2131, 447190-9700

Total length 32.50 mm, **Height** 7.00 mm, **OD** 83.00 mm, **Thread** M10 mm, **Key spline** w/o



253552 Safety Hub

Servicing: 447170-2321, 447170-2323, 447170-2324, 447170-2325, 447170-6170, 447170-6172, 447170-6173

Total length 22.00 mm, **Height** 17.50 mm, **ID** 75.50 mm, **OD** 88.00 mm, **Depth** 14.50 mm, **Splines** 26, **Key spline** w/o



253553 Safety Hub

Servicing: 447170-7152, 447180-4341, 447180-4343, 447180-4344, 447180-4347, 447180-5532, 447180-5533

Total length 24.00 mm, **Height** 23.50 mm, **ID** 74.00 mm, **OD** 78.50 mm, **Depth** 14.50 mm, **Splines** 26, **Key spline** w/o

Ball Bearings



250012 Bearing

Servicing: 047200-8530, 047200-8543, 047200-8544, 047200-8545, 147100-3962, 147100-3963, 147100-3964

Height 22.00 mm, **ID** 30.00 mm, **OD** 52.00 mm



250210 Bearing

Height 20.60 mm, **ID** 40.00 mm, **OD** 62.00 mm



250211 Bearing

Servicing: 447100-2480, 447100-2482, 447100-2484, 447100-2485, 447100-6821, 447100-6822, 447100-6824

Height 22.00 mm, **ID** 35.00 mm, **OD** 52.00 mm



250998 Bearing

Servicing: 442100-1026, 447170-2321, 447170-2323, 447170-2324, 447170-2325, 447180-9490, 447190-7952

Height 20.00 mm, **ID** 35.00 mm, **OD** 52.00 mm

Sundry Parts



250013# Needle Bearing

Replacing: 047045-0240, 250013

Servicing: 047010-0141, 047010-0250, 047138-2360, 047138-2540, 047138-2570, 047138-2640, 047138-2670

Height 22.00 mm, **ID** 16.00 mm, **OD** 23.00 mm



251616# Friction Disc

Thickness 3.20 mm, **ID** 85.50 mm, **OD** 98.00 mm, **Material** Fiber, **Bushing** w/o



251822# Needle Bearing

Height 12.00 mm, **ID** 15.00 mm, **OD** 23.00 mm

Front housing Part



251166# Oil Seal

Height 11.90 mm, **ID** 9.60 mm, **OD** 24.15 mm, **Material** Metal/Rubber, **O-ring** w/

Pulleys



253593 Pulley with bearing

Servicing: 1435796, 1441291, 1543958, 1566168, 1674618, 1731790, 1767656, 1791012, 6G9119D629GB, 6G9119D629GC

Height 34.50 mm, **ID** 55.00 mm, **ID/bearing** 35.00 mm, **OD** 108.00 mm, **ro** **oves** 6, **Bearing** w/



253594 Pulley with bearing

Servicing: 4502836, 4681621, 4979391, F7LH19497BA, YC1H19D629AA, YC1H19D629AB, YC1H19D629AC

Height 35.50 mm, **ID** 55.00 mm, **ID/bearing** 30.00 mm, **OD** 127.00 mm, **Grooves** 7, **Bearing** w/



253607 Pulley with bearing

Servicing: 1064354, 1066927, 1113006, 1113006, 1123560, 1346251, 1406108, 1466508, 1578406, 4034605, 4338795

Height 38.00 mm, **ID** 50.00 mm, **ID/bearing** 35.00 mm, **OD** 95.00 mm, **Grooves** 6, **Bearing** w/



253621 Pulley with bearing

Servicing: 1321791, 1500822, 2S6119D629AD, 2S6119D629AE, 2S6119D629AF, Y60115810A

Height 35.00 mm, **ID** 55.00 mm, **ID/bearing** 35.00 mm, **OD** 119.00 mm, **Grooves** 6, **Bearing** w/



253634 Pulley with bearing

Servicing: 1018267, 1018493, 1035433, 1035435, 1406033, 1427629, 3000992, 3705320, 3923183, 6780044

Height 36.00 mm, **ID** 55.00 mm, **ID/bearing** 30.00 mm, **OD** 143.00 mm, **Grooves** 6, **Bearing** w/



253693# Pulley with bearing

Servicing: F8FH19D629BMA

Height 35.00 mm, **ID** 55.00 mm, **ID/bearing** 30.00 mm, **OD** 115.00 mm, **Grooves** 6, **Bearing** w/

Pulley Parts



253665 Clutch Hub

Servicing: 1435796, 1441291, 1543958, 1566168, 1674618, 1731790, 1767656, 1791012, 6G9119D629GB, 6G9119D629GC

Total length 38.00 mm, **Height** 21.00 mm, **ID** 12.00 mm, **OD** 115.00 mm, **Depth** 17.00 mm, **Thread** M8 mm, **Splines** 21, **Key spline** w/o



253672 Clutch Hub

Servicing: 1064354, 1066927, 1113006, 1123560, 1346251, 1406108, 1466508, 1578406, 4034605, 4338795, 4588121

Total length 17.50 mm, **Height** 5.40 mm, **ID** 10.00 mm, **OD** 107.00 mm, **Splines** 18, **Key spline** w/



253688 Clutch Hub

Servicing: 1018267, 1018493, 1035433, 1035435, 1406033, 1427629, 3000992, 3705320, 3923183, 6780044

Total length 32.00 mm, **Height** 21.00 mm, **ID** 13.50 mm, **OD** 122.00 mm, **Depth** 17.00 mm, **Thread** M8 mm, **Splines** 21



253692 Clutch Hub

Servicing: F8FH19D629BMA

Total length 39.00 mm, **Height** 24.00 mm, **ID** 13.00 mm, **OD** 115.00 mm, **Depth** 19.50 mm, **Thread** 8.00 mm, **Splines** 21, **Key spline** w/o

Ball Bearings



250210 Bearing

Replacing: DIVY2990A

Servicing: 6G9119D629GB

Height 20.60 mm, **ID** 40.00 mm, **OD** 62.00 mm



253754 Bearing

Servicing: 1018497, 1018797, 1035431, 1308989, 1406034, 1427636, 1433151, 1440188, 1440714, 1S7H19D629EA

Height 23.00 mm, **ID** 30.00 mm, **OD** 55.00 mm, **Lock ring** w/o

Coil



253709 Clutch Coil

Servicing: 1435796, 1441291, 1543958, 1566168, 1674618, 1731790, 1767656, 1791012, 6G9119D629GB, 6G9119D629GC

12 V, Height 31.00 mm, **ID** 63.50 mm, **OD** 97.00 mm



253710 Clutch Coil

Servicing: 1018497, 1018797, 1035431, 1308989, 1406034, 1427636, 1433151, 1440188, 1440714, 1S7H19D629EA

12 V, Height 29.50 mm, **ID** 63.50 mm, **OD** 115.00 mm



253718 Clutch Coil

Servicing: 1064354, 1066927, 1113006, 1123560, 1346251, 1406108, 1466508, 1578406, 4034605, 4338795, 4588121

Height 34.00 mm, **ID** 58.50 mm, **OD** 84.00 mm



253727 Clutch Coil

Servicing: 1321791, 1500822, 2S6119D629AD, 2S6119D629AE, 2S6119D629AF, Y60115810A

12 V, Height 34.00 mm, **ID** 64.00 mm, **OD** 96.00 mm




253740 Clutch Coil

Servicing: F8FH19D629BMA

12 V, Height 34.00 mm, **ID** 65.00 mm, **OD** 101.00 mm

Sundry Parts



250013# Needle Bearing

Replacing: E1AH19D759A

Height 22.00 mm, **ID** 16.00 mm, **OD** 23.00 mm

Front housing Part



250071# Needle Bearing

Height 16.00 mm, ID 16.00 mm,
OD 23.00 mm

Front housing Part



251615# Seal Kit

Height 11.00 mm, **Total height** 14.90 mm,
ID 13.00 mm, **OD** 22.15 mm,
Material Metal/Rubber, **O-ring** w/

Middle Housing Part

Manifold

Seal



250511# Manifold Gasket

Thickness 1.49 mm, **Width** 35.72 mm,
Length 71.44 mm, **Material** Rubber

Pulley Parts

Ball Bearings



250129 Bearing

Height 20.00 mm, **ID** 35.00 mm,
OD 55.00 mm

Middle Housing Part

Manifold

Seal



250512# Manifold Gasket

Thickness 1.88 mm, **Width** 50.95 mm,
Length 97.20 mm, **Material** Rubber



250513# Manifold Gasket

Thickness 1.72 mm, **Width** 51.20 mm,
Length 122.44 mm, **Material** Rubber

Pulleys



253657# Pulley with bearing

Servicing: AKC200A204G, AKC200A204P,
AKC200A204S, AKC200A205G, MR315460,
MR500268

Height 32.50 mm, **ID** 50.00 mm,
ID/bearing 35.00 mm, **OD** 95.00 mm,
Grooves 5, **Bearing** w/

Pulley Parts



253699 Clutch Hub

Servicing: AKC200A204P, AKC200A204S,
AKC200A205G, MR315460, MR500268

Total length 25.00 mm, **Height** 9.60 mm,
Hole size 10.00 mm, **ID** 10.00 mm,
OD 102.00 mm, **Splines** 17,
Key spline w/o

Ball Bearings



250187 Bearing

Height 20.00 mm, **ID** 35.00 mm,
OD 50.00 mm

Adapters



253816 FLX7 Clutch wire adapter

Manufacturer: Sanden

Replacing: 4860-0400

Servicing: FLX7 Compressors

FLX7



253817 FLX7 Clutch wire adapter

Replacing: 4861-0400

Servicing: FLX7 Compressors

FLX7

Control Valves



253573 Control Valve

12 V, Length 66.50 mm, OD 24.00 mm,
OD 2 23.00 mm, OD 3 18.80 mm,
OD 4 15.80 mm, O-ring w/, Plug w/



253574 Control Valve

12 V, Length 73.00 mm, OD 23.70 mm,
OD 2 23.10 mm, OD 3 18.80 mm,
OD 4 15.80 mm, OD 5 14.00 mm,
O-ring w/, Plug w/

NEW PRODUCT

www.hc-cargo.com



253779* Control Valve

12 V, Length 92.00 mm, OD 28.00 mm,
OD 2 22.70 mm, OD 3 19.80 mm,
OD 4 18.80 mm, Dist. mount. holes 21.80,
O-ring w/, Plug w/

NEW PRODUCT

www.hc-cargo.com



253781* Control Valve

12 V, Length 73.00 mm, OD 23.70 mm,
OD 2 23.10 mm, OD 3 18.80 mm,
OD 4 16.20 mm, OD 5 14.00 mm,
O-ring w/, Plug w/

NEW PRODUCT

www.hc-cargo.com

253785* Control Valve

12 V, Length 45.50 mm, OD 25.50 mm,
OD 2 22.00 mm, OD 3 21.50 mm,
OD 4 9.00 mm, OD 5 2.50 mm,
Thread size M12, Thread length 9.00 mm,
Plug w/o

Front housing Part



250317# Needle Bearing

Height 12.00 mm, ID 16.00 mm,
OD 22.00 mm



251166# Oil Seal

Height 11.90 mm, ID 9.60 mm, OD 24.15 mm,
Material Metal/Rubber, O-ring w/

Manifold



253806 FLX7 Fitting

Manufacturer: Sanden

Replacing: 4865-6340

Servicing: FLX7 Compressors

ID 11.80 mm, ID 2 14.70 mm,

Thread size 3/4 - 16,

Thread length 16.00 mm,

Mount. type Horizontal

FLX7



253807 FLX7 Fitting

Manufacturer: Sanden

Replacing: 4866-6340

Servicing: FLX7 Compressors

ID 11.80 mm, ID 2 14.70 mm,

Thread size 3/4 - 16UNF,

Thread length 16.00 mm,

Mount. type Vertical

FLX7



253808 FLX7 Fitting

Manufacturer: Sanden

Replacing: 4867-6340

Servicing: FLX7 Compressors

ID 14.60 mm, ID 2 14.60 mm,

Thread size 1 - 14,

Thread length 16.00 mm,

Mount. type Vertical

FLX7



253809 FLX7 Fitting

Manufacturer: Sanden

Replacing: 4868-6340

Servicing: FLX7 Compressors

Total length 84.00 mm, **ID** 10.50 mm,
ID 2 13.50 mm, **Thread size** 3/4 - 16UNF,
Thread length 11.50 mm,
Mount. type Vertical
FLX7



253810 FLX7 Fitting

Manufacturer: Sanden

Replacing: 4869-6340

Servicing: FLX7 Compressors

ID 14.60 mm, **ID 2** 14.60 mm,
Thread size 1 - 14,
Thread length 16.00 mm,
Mount. type Horizontal
FLX7

Middle Housing Part



250208# Needle Bearing

Height 19.00 mm, **ID** 17.00 mm,
OD 23.80 mm



250265# Gasket Kit

Replacing: SD1001-9610

Servicing: SD7V12-1500, SD7V12-1501,
SD7V12-1502, SD7V12-1503, SD7V16-1010,
SD7V16-1011, SD7V16-1012



250805# Thrust Bearing/Race

Thickness 3.20 mm, **ID** 63.60 mm,
OD 83.60 mm, **No./rollers** 38



251828# Thrust Bearing/Race

Thickness/set 6.53 mm, **ID/set** 15.93 mm



251880# Thrust Bearing/Race

Thickness/set 4.89 mm, **ID/set** 69.21 mm



251903# Gasket

Thickness 0.54 mm, **ID** 18.00 mm, **ID/
mount. hole** 8.45 mm, **OD** 114.80 mm,
Material Metal



252351# Thrust Bearing/Race

Thickness 3.17 mm, **ID** 57.25 mm,
ID 2 59.10 mm, **OD** 79.65 mm,
OD 2 81.30 mm, **No./rollers** 40



253375# Pressure Valve

Replacing: SD3650-6470, SD4605-6470,
SD4605-9140, SD7802-6470

Servicing: SD7H15-7824, SD7H15-7825,
SD7H15-8061, SD7H15-8062, SD7H15-8085,
SD7H15-8086

Length 19.40 mm, **ID** 1.00 mm,
OD 14.00 mm, **Thread size** 3/8-24 UNF,
Thread length 7.65 mm

Pulleys



252045# Pulley without bearing

Servicing: SD6V12-1410, SD6V12-1454

Height 37.90 mm, **ID** 49.30 mm,
OD 100.00 mm, **Grooves** 6, **Bearing** w/o



252108# Pulley without bearing

Servicing: SD7V16-1118, SD7V16-1119,
SD7V16-1145

Height 32.25 mm, **ID** 54.98 mm,
OD 127.00 mm, **Grooves** 6, **Bearing** w/o



252109# Pulley without bearing

Servicing: SD7V16-1207, SD7V16-1244,
SD7V16-1246

Height 34.20 mm, **ID** 54.25 mm,
OD 127.00 mm, **Grooves** 6, **Bearing** w/o

Pulley Parts



253545 Clutch Hub

Servicing: SD7V16-1157

Total length 25.00 mm, **Height** 13.00 mm, **ID** 13.00 mm, **OD** 105.00 mm, **Depth** 17.00 mm, **Thread** 6.00 mm, **Key spline** w/



253551 Clutch Hub

Servicing: SD7V16-1206, SD7V16-12063, SD7V16-1208, SD7V16-1221, SD7V16-1231

Total length 25.00 mm, **Height** 14.00 mm, **ID** 11.00 mm, **OD** 105.00 mm, **Splines** 22, **Key spline** w/o



253554 Clutch Hub

Total length 25.50 mm, **Height** 18.00 mm, **ID** 12.00 mm, **OD** 90.00 mm, **Depth** 11.00 mm, **Splines** 24, **Key spline** w/o



253555 Clutch Hub

Servicing: PXE16-8675, PXE16-8675F, PXE16-8676, PXE16-8676F

Total length 28.00 mm, **Height** 9.00 mm, **Hole size** 8.00 mm, **OD** 90.00 mm, **Depth** 11.00 mm, **Splines** 24, **Key spline** w/o



253556 Clutch Hub

Servicing: SD6V12-1418, SD6V12-1423, SD6V12-1428, SD6V12-1428F, SD6V12-1429, SD6V12-1429F, SD6V12-1440

Total length 29.00 mm, **Height** 17.00 mm, **ID** 11.00 mm, **OD** 105.00 mm, **Depth** 18.00 mm, **Splines** 22, **Key spline** w/o

Ball Bearings



250129 Bearing

Servicing: SD0657-6210, SD7H15-8117, SD7V16-1137, SD6V12-1419, SD6V08-1550, SD6V10-1511, SD6V10-1550

Height 20.00 mm, **ID** 35.00 mm, **OD** 55.00 mm



250187 Bearing

Servicing: SD6V12-1410, SD6V12-1414, SD6V12-1418, SD6V12-1423, SD6V12-1428, SD6V12-1428F, SD6V12-1429

Height 20.00 mm, **ID** 35.00 mm, **OD** 50.00 mm




250230# Ball Bearing

Servicing: TRS090-3006, TRS090-4950, TRS090-4954, TRS090-4961, TRS105-3204, TRS105-3211, TRS105-3306

Height 14.00 mm, **ID** 35.00 mm, **OD** 72.00 mm, **Ball holder** Steel, **Bushing** w/o, **Lock ring** w/o, **Oil seals** w/o, **Teflon ring** w/

Coil



251932 Clutch Coil

Servicing: SD7V12-1500, SD7V12-1501, SD7V12-1502, SD7V12-1503, SD7V16-1106, SD7V16-1172, SD7V16-1218

12 V, **Height** 32.45 mm, **ID** 64.20 mm, **OD** 95.65 mm



251938 Clutch Coil

Servicing: SD7V16-1215, SD7V16-1224, SD7V16-1226, SD7V16-1233, SD7V16-1245, SD7V16-1278, SD7V16-1283

12 V, **Height** 32.45 mm, **ID** 64.00 mm, **OD** 102.85 mm



251941 Clutch Coil

Replacing: SD1423-9240

Servicing: SD6V12-1414, SD6V12-1440, SD6V12-1441, SD6V12-1443, SD6V12-1418, SD6V12-1423, SD6V12-1428

12 V, **Height** 31.00 mm, **ID** 59.00 mm, **OD** 86.25 mm



253537 Clutch Coil

Servicing: SD7V16-1215, SD7V16-1233, SD7V16-1278, SD7V16-1283, SD7V16-1224, SD7V16-1251

12 V, **Height** 32.00 mm, **ID** 64.00 mm, **OD** 103.00 mm, **Capacitor** w/o

Sundry Parts



250128# Needle Bearing

Height 25.00 mm, **ID** 18.00 mm,
OD 25.00 mm



250316# Needle Bearing

Height 16.00 mm, **ID** 17.00 mm,
OD 25.00 mm



250318# Needle Bearing

Height 16.00 mm, **ID** 16.00 mm,
OD 22.00 mm



250806# Needle Bearing

Height 12.00 mm, **ID** 40.00 mm,
OD 47.00 mm



251823# Needle Bearing

Height 16.90 mm, **ID** 15.00 mm,
OD 24.00 mm

Universal components

Shipping Caps



250181 Shipping Cap

Height 14.30 mm, **OD** 14.30 mm,
Thread size M10

Front housing Part



251166# Oil Seal

Height 11.90 mm, **ID** 9.60 mm,
OD 24.15 mm, **Material** Metal/Rubber,
O-ring w/

Pulley Parts

Ball Bearings



250187 Bearing

Height 20.00 mm, **ID** 35.00 mm,
OD 50.00 mm



250210 Bearing

Height 20.60 mm, **ID** 40.00 mm,
OD 62.00 mm



Control Valves

NEW PRODUCT
www.hc-cargo.com

253784* Control Valve

12 V, Length 73.50 mm, OD 23.80 mm,
OD 2 23.20 mm, OD 3 18.70 mm,
OD 4 11.80 mm, OD 5 11.30 mm,
O-ring w/, Plug w/

Control Valves

NEW PRODUCT

www.hc-cargo.com

253780* Control Valve

12 V, Length 93.00 mm,
OD 23.00/20.60 mm, OD 2 18.30 mm,
OD 3 12.60 mm, OD 4 9.50 mm, O-ring w/, Plug w/

Sundry Parts



253569# Control Valve

Servicing: 506041-0001, 506041-0270,
506041-0760

12 V, Length 81.50 mm, OD 27.80 mm,
OD 2 11.80 mm, OD 3 17.80 mm,
OD 4 21.80 mm, O-ring w/, Plug w/

Front housing Part



253257# Lip Seal w/ O-ring

Height 14.40 mm, ID 11.00 mm,
OD 31.90 mm, Material Metal/Rubber,
O-ring w/

Middle Housing Part



250144# Thrust Bearing

Height 2.50 mm, ID 17.20 mm,
OD 34.00 mm

Pulley Parts



253546 Clutch Hub

Servicing: 506041-0001, 506041-0760,
506041-0270

Total length 23.00 mm, Height 16.00 mm,
ID 13.00 mm, OD 78.00 mm,
Depth 13.50 mm, Thread M8 mm,
Splines 26, Key spline w/o

Control Valves

NEW PRODUCT

www.hc-cargo.com
253782 Control Valve

12 V, Length 73.00 mm, OD 23.70 mm,
OD 2 23.10 mm, OD 3 18.80 mm,
OD 4 15.80 mm, OD 5 14.00 mm,
O-ring w/, Plug w/

NEW PRODUCT

www.hc-cargo.com
253788 Control Valve

12 V, Length 47.50 mm, OD 25.90 mm,
OD 2 15.80 mm, OD 3 13.80 mm,
OD 4 11.80 mm, OD 5 8.80 mm,
O-ring w/, Plug w/o

NEW PRODUCT

www.hc-cargo.com
253789 Control Valve

12 V, Length 47.50 mm, OD 25.80 mm,
OD 2 15.80 mm, OD 3 13.80 mm,
OD 4 11.80 mm, OD 5 8.80 mm,
O-ring w/, Plug w/o

NEW PRODUCT

www.hc-cargo.com
253790 Control Valve

12 V, Length 62.00 mm, OD 21.50 mm,
OD 2 21.50 mm, OD 3 19.80 mm,
OD 4 12.60 mm, O-ring w/, Plug w/o

Front housing Part

**250707** Shaft Seal

Height 14.45 mm, ID 11.15 mm, OD 30.00 mm,
Material Metal/Rubber, O-ring w/

Middle Housing Part

**252042** Needle Bearing

Height 15.80 mm, ID 14.30 mm,
OD 20.60 mm

Manifold

Seal

**250531** Valve Core

Length 21.60 mm, Thread size M8

**252184** Valve Core

Length 21.75 mm, OD 2.43 mm,
Thread size M8, Thread length 3.00 mm

**252185** Valve Core

Length 21.95 mm, OD 3.05 mm,
Thread size M10

**252186** Valve Core

Length 20.40 mm

Pulleys

**253633** Pulley with bearing

Servicing: 11104251, 11412631, 20538307,
21184142, 8113628, 8191892, 85000315

Height 35.00 mm, ID 55.00 mm,
ID/bearing 35.00 mm, OD 132.00 mm,
Grooves 8, Bearing w/

Pulley Parts

Ball Bearings

**253750** Bearing

Height 18.00 mm, ID 32.00 mm,
OD 47.00 mm, Lock ring w/o

**253751** Bearing

Height 22.00 mm, ID 35.00 mm,
OD 52.00 mm, Lock ring w/o

**253752** Bearing

Height 20.00 mm, ID 35.00 mm,
OD 52.00 mm, Lock ring w/o

**253753** Bearing

Height 12.00 mm, ID 35.00 mm,
OD 52.00 mm, Lock ring w/o



253755 Bearing

Height 20.00 mm, ID 30.00 mm,
OD 52.00 mm, Lock ring w/o



254099 Bearing

Height 12.00 mm, ID 35.00 mm,
OD 52.00 mm, Bushing w/o

Coil



253191 Clutch Coil

12 V, Height 26.50 mm, ID 60.00 mm,
OD 92.00 mm

Universal components

Valve Core



250528 Valve Core

Length 19.55 mm, OD 5.15 mm



250529 Valve Core

Length 19.75 mm, Thread size M6,
Thread length 4.75 mm



250530 Valve Core

Length 17.32 mm, Thread size M5



250532 Valve Core

Length 18.80 mm

